

5.01.035

| | | | |
|--------------------|-----------------------|------------------------------|-----------------|
| Section: | Prescription Drugs | Effective Date: | April 1, 2024 |
| Subsection: | Anti-infective Agents | Original Policy Date: | October 1, 2015 |
| Subject: | Cresemba | Page: | 1 of 5 |

Last Review Date: March 8, 2024

Cresemba

Description

Cresemba (isavuconazonium)

Background

Cresemba belongs to a class of drugs called azole antifungal agents, which target the cell membrane of a fungus. Cresemba is used to treat adults with invasive aspergillosis and invasive mucormycosis. Aspergillosis is a fungal infection caused by *Aspergillus* species, and mucormycosis is caused by the Mucorales fungi. These infections occur most often in people with weakened immune systems (1).

Regulatory Status

FDA-approved indications: Cresemba is an azole antifungal indicated for use in the treatment of invasive aspergillosis and invasive mucormycosis as follows (1):

- Cresemba for injection: adults and pediatric patients 1 year of age and older
- Cresemba capsules: adults and pediatric patients 6 years of age and older who weigh 16 kilograms (kg) and greater

Cresemba is contraindicated in patients with familial short QT syndrome. Cresemba is also contraindicated when co-administered with strong CYP3A4 inhibitors or strong CYP3A4 inducers (1).

Specimens for fungal culture and other relevant laboratory studies (including histopathology) to isolate and identify causative organism(s) should be obtained prior to initiating antifungal therapy (1).

| | | | |
|--------------------|-----------------------|------------------------------|-----------------|
| Section: | Prescription Drugs | Effective Date: | April 1, 2024 |
| Subsection: | Anti-infective Agents | Original Policy Date: | October 1, 2015 |
| Subject: | Cresemba | Page: | 2 of 5 |

Hepatic adverse drug reactions (e.g., elevations in alanine aminotransferase (ALT), aspartate aminotransferase (AST), alkaline phosphatase, total bilirubin) have been reported in clinical trials. Evaluate liver-related laboratory tests at the start and during the course of Cresemba therapy. Monitor patients who develop abnormal liver-related laboratory tests during Cresemba therapy for the development of more severe hepatic injury. Cresemba has not been studied in patients with severe hepatic impairment (Child-Pugh Class C) and should be used in these patients only when the benefits outweigh the risks (1).

The safety and efficacy of Cresemba in patients less than 1 year of age have not been established (1).

Related policies

Itraconazole, Ketoconazole, Vfend

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Cresemba may be considered **medically necessary** if the conditions indicated below are met.

Cresemba may be considered **investigational** for all other indications.

Prior-Approval Requirements

Age

- IV injection: 1 year of age or older
- Injection via nasogastric (NG) tube: 6 years of age or older **AND** weight \geq 16 kg
- Oral capsules: 6 years of age or older **AND** weight \geq 16 kg

Diagnoses

Patient must have **ONE** of the following:

1. Invasive Aspergillosis
2. Invasive Mucormycosis

AND ALL of the following:

1. Laboratory and clinical documentation of causative organism(s)

| | | | |
|--------------------|-----------------------|------------------------------|-----------------|
| Section: | Prescription Drugs | Effective Date: | April 1, 2024 |
| Subsection: | Anti-infective Agents | Original Policy Date: | October 1, 2015 |
| Subject: | Cresemba | Page: | 3 of 5 |

2. Baseline liver function tests and monitored during the course of treatment with adjustment in dosing dependent on severity of liver function

Prior – Approval *Renewal* Requirements

Age IV injection: 1 year of age or older
Injection via nasogastric (NG) tube: 6 years of age or older **AND** weight \geq 16 kg
Oral capsules: 6 years of age or older **AND** weight \geq 16 kg

Diagnoses

Patient must have **ONE** of the following:

1. Invasive Aspergillosis
2. Invasive Mucormycosis

AND the following:

1. Liver function tests monitored during the course of treatment with adjustment in dosing dependent on severity of liver function

Policy Guidelines

Pre - PA Allowance

None

Prior - Approval Limits

Cresemba IV

Quantity 94 vials
Duration 3 months

Cresemba Oral

| Strength | Quantity |
|----------|------------------------|
| 74.5 mg | 470 capsules OR |
| 186 mg | 188 capsules |

| | | | |
|--------------------|-----------------------|------------------------------|-----------------|
| Section: | Prescription Drugs | Effective Date: | April 1, 2024 |
| Subsection: | Anti-infective Agents | Original Policy Date: | October 1, 2015 |
| Subject: | Cresemba | Page: | 4 of 5 |

Duration 3 months

Prior – Approval *Renewal* Limits

Cresemba IV

Quantity 90 vials
Duration 3 months (One renewal only)

Cresemba Oral

| Strength | Quantity |
|----------|------------------------|
| 74.5 mg | 450 capsules OR |
| 186 mg | 180 capsules |

Duration 3 months (One renewal only)

Rationale

Summary

Cresemba is used to treat adults with invasive aspergillosis and invasive mucormycosis. Aspergillosis is a fungal infection caused by *Aspergillus* species, and mucormycosis is caused by the Mucorales fungi. These infections occur most often in people with weakened immune systems. The safety and efficacy of Cresemba in patients less than 1 year of age have not been established (1).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Cresemba while maintaining optimal therapeutic outcomes.

References

1. Cresemba [package insert]. Northbrook, IL: Astellas Pharma US, Inc.; December 2023.

Policy History

| Date | Action |
|---------------|---|
| October 2015 | Addition to PA. |
| March 2016 | Annual editorial review and reference update Policy code changed from 5.03.35 to 5.01.35 |
| December 2017 | Annual editorial review and reference update |

5.01.035

| | | | |
|--------------------|-----------------------|------------------------------|-----------------|
| Section: | Prescription Drugs | Effective Date: | April 1, 2024 |
| Subsection: | Anti-infective Agents | Original Policy Date: | October 1, 2015 |
| Subject: | Cresemba | Page: | 5 of 5 |

| | |
|----------------|--|
| November 2018 | Annual editorial review and reference update |
| June 2019 | Annual review |
| December 2020 | Annual review and reference update |
| March 2021 | Annual review |
| December 2021 | Annual review and reference update |
| March 2022 | Annual review and reference update |
| December 2022 | Annual review and reference update. Changed policy number to 5.01.035 |
| March 2023 | Annual review and reference update |
| June 2023 | Annual review |
| September 2023 | Per PI update, addition of 74.5 mg capsule |
| December 2023 | Annual review |
| January 2024 | Per PI update, lowered age requirement for IV injection to 1 year and older and capsules/injection via NG tube to 6 years and older who weigh 16 kg or greater |
| March 2024 | Annual review |

Keywords

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on March 8, 2024 and is effective on April 1, 2024.