

Federal Employee Program® 750 9th St NW Washington, D.C. 20001 202.942.1000 Fax 202.942.1125

5.21.075

Section: Prescription Drugs Effective Date: April 1, 2024

Subsection: Antineoplastic Agents Original Policy Date: January 15, 2016

Subject: Alecensa Page: 1 of 4

Last Review Date: March 8, 2024

Alecensa

Description

Alecensa (alectinib)

Background

Alecensa (alectinib) is an oral medication indicated for the treatment of patients with metastatic non-small cell lung cancer (NSCLC) that is anaplastic lymphoma kinase (ALK)-positive. Alecensa is an inhibitor of receptor tyrosine kinases including ALK and RET. Translocations can affect the ALK gene resulting in the expression of oncogenic fusion proteins. The formation of ALK fusion proteins results in activation and dysregulation of the gene's expression and signaling which can contribute to increased cell proliferation and survival in tumors expressing these proteins. The administration of Alecensa in tumors carrying ALK fusions may result in antitumor activity and prolonged survival. Treatment with Alecensa should continue until disease progression or unacceptable toxicity (1).

Regulatory Status

FDA-approved indication: Alecensa is a kinase inhibitor indicated for the treatment of patients with anaplastic lymphoma (ALK)-positive metastatic non-small cell lung cancer (NSCLC) as detected by an FDA-approved test (1).

Liver function tests should be monitored every 2 weeks during the first 3 months of treatment, and then once a month and as clinically indicated. In case of severe ALT, AST, or bilirubin elevations, withhold, then reduce dose, or permanently discontinue Alecensa (1).

Section: Prescription Drugs Effective Date: April 1, 2024

Subsection: Antineoplastic Agents Original Policy Date: January 15, 2016

Subject: Alecensa Page: 2 of 4

The safety of Alecensa in patients with severe renal impairment (creatinine clearance (CrCl) less than 30 mL/min) or end-stage renal disease has not been studied. The safety of Alecensa in patients with moderate to severe hepatic impairment has not been studied (1).

The safety and effectiveness of Alecensa in pediatric patients have not been established (1).

Related policies

Alunbrig, Lorbrena, Xalkori, Zykadia

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Alecensa may be considered medically necessary if the conditions indicated below are met.

Alecensa may be considered **investigational** for all other indications.

Prior-Approval Requirements

Age 18 years of age and older

Diagnosis

Patient must have the following:

- 1. Metastatic non-small cell lung cancer (NSCLC)
 - Anaplastic lymphoma kinase (ALK)-positive as determined by FDAapproved test

AND ALL of the following:

- NO severe renal impairment (CrCl less than 30 mL/min) or end stage renal disease
- 2. Prescriber agrees to monitor AST, ALT, and total bilirubin

Prior - Approval Renewal Requirements

Age 18 years of age and older

Section: Prescription Drugs Effective Date: April 1, 2024

Subsection: Antineoplastic Agents Original Policy Date: January 15, 2016

Subject: Alecensa Page: 3 of 4

Diagnosis

Patient must have the following:

1. Metastatic non-small cell lung cancer (NSCLC)

AND ALL of the following:

- 1. NO disease progression or unacceptable toxicity
- 2. **NO** severe renal impairment (CrCl less than 30 mL/min) or end stage renal disease
- 3. Prescriber agrees to monitor AST, ALT, and total bilirubin

Policy Guidelines

Pre - PA Allowance

None

Prior - Approval Limits

Quantity 720 capsules per 90 days

Duration 12 months

Prior - Approval Renewal Limits

Same as above

Rationale

Summary

Alecensa (alectinib) is a kinase inhibitor indicated for the treatment of patients with metastatic non-small cell lung cancer (NSCLC) that is anaplastic lymphoma kinase (ALK)-positive. The safety of Alecensa in patients with severe renal impairment (creatinine clearance less than 30 mL/min), end-stage renal disease or moderate to severe hepatic impairment has not been studied. The safety and effectiveness of Alecensa in pediatric patients have not been established (1).

Prior authorization is required to ensure the safe, clinically appropriate, and cost-effective use of Alecensa while maintaining optimal therapeutic outcomes.

Section: Prescription Drugs Effective Date: April 1, 2024

Subsection: Antineoplastic Agents Original Policy Date: January 15, 2016

Subject: Alecensa Page: 4 of 4

References

1. Alecensa [package insert]. South San Francisco, CA: Genentech USA, Inc.; September 2021.

2. NCCN Drugs & Biologics Compendium® Alectinib 2024. National Comprehensive Cancer Network, Inc. Accessed on January 16, 2024.

Policy History	
Date	Action
January 2016	Addition to PA
March 2016	Annual review
June 2016	Policy number changed from 5.04.75 to 5.21.75 Annual editorial review
June 2017	Annual editorial review and reference update
September 2017	Annual Review Addition of quantity limits
November 2017	Removal of the requirement of presence of disease progression on or intolerant to Xalkori (crizotinib)
	Addition of "as determined by FDA-approved test" to anaplastic lymphoma kinase (ALK)-positive
March 2018	Annual review
March 2019	Annual editorial review and reference update. Changed requirement from "no moderate to severe hepatic impairment" to "prescriber agrees to monitor AST, ALT, and total bilirubin"
June 2020	Annual review
March 2021	Annual editorial review and reference update
March 2022 March 2023	Annual review and reference update Annual review and reference update. Changed policy number to 5.21.075
March 2024	Annual review and reference update Annual review and reference update
Keywords	

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on March 8, 2024 and is effective on April 1, 2024.