

Federal Employee Program. Federal Employee Program® 1310 G Street, N.W. Washington, D.C. 20005 202.942.1000 Fax 202.942.1125

5.21.042

Section: Subsection:	Prescription Drugs Antineoplastic Agents	Effective Date: Original Policy Date:	July 1, 2023 September 13, 2013
Subject:	Marqibo	Page:	1 of 4
Last Review Da	te: June 15, 2023		

Marqibo

Description

Marqibo (vincristine liposome injection)

Background

Marqibo (vincristine) is used for the treatment of adults with Philadelphia chromosome negative (Ph-) acute lymphoblastic leukemia (ALL). Marqibo is approved for patients whose leukemia has relapsed two or more times, or whose leukemia has progressed following two or more regimens of anti-leukemia therapy. Marqibo contains vincristine, which is a chemical that stops cancer cells from dividing. The vincristine is encased within a liposome, a drug delivery vehicle composed of material similar to that of cell membranes, which delivers the drug direct to cancer cells (1).

Regulatory Status

FDA-approved indication: Marqibo is a vinca alkaloid indicated for the treatment of adult patients with Philadelphia chromosome-negative (Ph-) acute lymphoblastic leukemia (ALL) in second or greater relapse or whose disease has progressed following two or more anti-leukemia therapies (1).

Marqibo has a boxed warning that the drug must only be given intravenously. Death has occurred with intrathecal use. Patients must be monitored for neurologic and myelosuppression symptoms such as neuropathy, neutropenia, thrombocytopenia, and anemia. Marqibo is contraindicated in patients with demyelinating conditions including Charcot-Marie-Tooth syndrome (1).

5.21.042

Section:	Prescription Drugs	Effective Date:	July 1, 2023
Subsection:	Antineoplastic Agents	Original Policy Date:	September 13, 2013
Subject:	Marqibo	Page:	2 of 4

The safety and effectiveness of Marqibo has not been established in pediatric patients (1).

Related policies

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Marqibo may be considered medically necessary if the conditions indicated below are met.

Marqibo may be considered investigational for all other indications.

Prior-Approval Requirements

Age 18 years of age or older

Diagnosis

Patient must have ALL of the following:

- 1. Acute lymphoblastic leukemia (ALL)
 - a. Philadelphia chromosome-negative (Ph-)
 - b. Two or more relapses or disease progression following two or more antileukemia therapies

Prior – Approval Renewal Requirements

Age 18 years of age or older

Diagnosis

Patient must have **ALL** of the following:

- 1. Acute lymphoblastic leukemia (ALL)
 - a. Philadelphia chromosome-negative (Ph-)

Policy Guidelines

5.21.042

Section:	Prescription Drugs	Effective Date:	July 1, 2023
Subsection:	Antineoplastic Agents	Original Policy Date:	September 13, 2013
Subject:	Marqibo	Page:	3 of 4

Pre - PA Allowance

None

Prior - Approval Limits

Duration 12 months

Prior – Approval Renewal Limits

Same as above

Rationale

Summary

Marqibo is a new liposome-encapsulated formulation of vincristine sulfate. It is indicated for patients 18 years of age and older with Philadelphia chromosome-negative (Ph-) acute lymphoblastic leukemia (ALL). Marqibo is contraindicated in demyelinating conditions including Charcot-Marie-Tooth syndrome (1).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Marqibo while maintaining optimal therapeutic outcomes.

References

- 1. Marqibo [package insert]. East Windsor, NJ: Acrotech Biopharma LLC; June 2020.
- 2. NCCN Drugs & Biologics Compendium[®] Vincristine 2023. National Comprehensive Cancer Network, Inc. Accessed on April 20, 2023.

Policy History	
Date	Action/Reason
December 2012	Addition to PA
March 2013	PMPC Review
September 2014	Annual criteria review and reference update
March 2015	Annual criteria review and reference update
June 2016	Annual editorial review and reference update
	Policy code changed from 5.04.42 to 5.21.42
June 2017	Annual editorial review and reference update
	Addition of age limits to renewal criteria
	•

5.21.042

Section: Subsection:	Prescription Drugs Antineoplastic Agents	Effective Date: Original Policy Date:	July 1, 2023 September 13, 2013	
Subject:	Marqibo	Page:	4 of 4	
June 2018 June 2019 June 2020 June 2021 June 2022 June 2023	Annual review Annual review and reference Annual review and reference Annual review and reference	ual editorial review and reference update ual review ual review and reference update ual review and reference update ual review and reference update ual review and reference update. Changed policy number to a		
IX-CyWUIUS				

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on June 15, 2023 and is effective on July 1, 2023.